

W70C Compact Wheel Loader

High-speed compact wheel loader built for light construction, landscaping, and municipal work. 74 hp FPT engine, Z-Bar linkage, SSL-compatible hydraulic coupler, and a maintenance-free Tier 4 Final engine — capable, fast, and easy to own.

SPECIFICATION	DETAIL
ENGINE	
Engine Make / Model	FPT Industrial F5H – 4-Cylinder Tier 4 Final
Gross Power	74 hp (55 kW)
Displacement	3.4 L
Peak Torque (Gross)	233 ft-lb (316 Nm)
Rated Engine Speed	2,500 RPM
Emissions	Tier 4 Final – Maintenance-Free (No DPF / No DEF)
Fuel Tank Capacity	23 gal (87 L)
Service Interval	500 hrs
Cold Weather Starting	Block Heater Fitted
PERFORMANCE	
Operating Weight	12,504 lb (5,672 kg)
Max Travel Speed (High Speed)	25 mph (40 km/h)
Transmission	Hydrostatic – High Speed (Press & Go)
Axles	Limited Slip Differential – Front & Rear (High Speed)
Rear Axle Oscillation	±20°
LOADER PERFORMANCE	
Linkage Type	Z-Bar Monolift (High Breakout / Load-and-Carry)
Breakout Force (with Tilt Cylinder)	13,356 lb (6,058 kg)
Lift Capacity – Full Height	7,227 lb (3,278 kg)
Lift Capacity – Maximum Reach	9,200 lb (4,173 kg)
Lift Capacity – Ground Level	11,669 lb (5,293 kg)
Tipping Load – ISO Straight	9,259 lb (4,200 kg)
Tipping Load – ISO 40° Turn	7,921 lb (3,593 kg)
Hinge Pin Height – Fully Raised	129.5 in (3,290 mm)
Dump Height – Fully Raised 45°	105 in (2,668 mm)
HYDRAULICS	
Standard Aux Flow	22.5 gpm @ 3,336 psi (85 L/min @ 230 bar)
High Flow Aux (Fitted – Single Aux)	34.3 gpm @ 2,901 psi (130 L/min @ 200 bar)

Aux Configuration	Single Aux High Flow with Creep Control
Hydraulic Coupler	Hydraulic SSL Compatible Coupler
Auto Ride Control	Yes – Fitted
DIMENSIONS	
Overall Width (Without Bucket)	73 in (1,860 mm)
Cab Height	106 in (2,680 mm)
Wheelbase	88 in (2,225 mm)
Turning Radius	157 in (3,987 mm)
Turning Angle	40° each direction (80° total)
Ground Clearance – Under Axles	15 in (370 mm)
Tires	365/70 R18 Goodyear Powerload
Attachment Compatibility	250+ attachments – SSL Compatible Coupler
UNIT INFORMATION	
Model	New Holland W70C HS EVO – Compact Wheel Loader
Year / Production Date	MY2024 (Dec 11, 2024)
PIN / Serial Number	FNHW70CHNRHP07998
Condition	New
Location	Salisbury, NB
INCLUDED OPTIONS & FEATURES	
Cab	Deluxe Enclosed Cab
Seat	Air Seat
Auto Ride Control	Yes
Tires	365/70 R18 Goodyear Powerload
Road & Work Lights	LED – 2 Front / 2 Rear
Warning Light	Rotating LED Amber Beacon
Cold Weather Package	Block Heater
Axles	High Speed – Limited Slip Differential (Front & Rear)
Hydraulic Aux	Single Aux High Flow with Creep Control
Hydraulic Coupler	Hydraulic SSL Compatible Coupler
Bucket	1.57 cu yd LM Bucket – SSL Coupler
Cutting Edge	2,100 mm
Tool Box	Yes (no tools)
Telematics	New Holland FleetForce™ Included
Operator's Manual	English

Interested in this unit?

Contact our sales team and a representative will be in touch with you shortly.



Toll Free: 1-888-461-6070



countytractorsnb.com | Salisbury, NB

County Tractors & Machinery Ltd. — Authorized New Holland Construction Dealer